

✓ reviewed all

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	decesion adj tree\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:11
L2	5080	decision adj tree\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:11
L3	11930	(shift\$4 or scal\$4) and split\$6 and scor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:19
L4	316	3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:12
L5	368622	predict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:12
L6	255	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:13
L7	6086	data adj mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 21:13
L8	98	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:08

L9	19	thiesson-bo.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:06
L10	861	706/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:09
L11	28	(decision adj tree) same split\$4 same scor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:11
L12	2752586	shift\$4 or scal\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:20
L13	16	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:21
L14	0	hulten-geoffery-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:21
L15	5	hulten-geoffrey-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:22
L16	170	hulten.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:22

L17	0	hulten-geoffrey.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 22:22
-----	---	---------------------	---	----	-----	------------------



Search Results

Results for "(chickering d. m.<in>au)"

Your search matched 1 of 1278046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

* Search Options

[View Session History](#)[New Search](#)

Modify Search

(chickering d. m.<in>au)

☐ Check to search only within this results set

* Key

IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

Display Format:



Citation



Citation

Citation & Abstract



1. Efficient determination of dynamic split points in a decision tree

Chickering, D.M.; Meek, C.; Rounthwaite, R.;
Data Mining, 2001. ICDM 2001, Proceedings IEEE International Conference on
29 Nov.-2 Dec. 2001 Page(s):91 - 98
Digital Object Identifier 10.1109/ICDM.2001.989505
AbstractPlus | Full Text: PDF (729 KB) IEEE CNF

Indexed by
Inspecc[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)☒ e-mail [Printout Friendly](#)[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE -- All Rights Reserved


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((decision<phrase>tree) and scor* and split* <in>metadata)"

e-mail

Your search matched 14 of 1278046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((decision<phrase>tree) and scor* and split* <in>metadata)

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information



1. A knowledge-based equation discovery system for engineering domains

Roa, R.B.; Lu, S.C.-Y.;
Expert, IEEE [see also IEEE Intelligent Systems and Their Applications]
Volume 8, Issue 4, Aug. 1993 Page(s):37 - 42
Digital Object Identifier 10.1109/64.223989

[AbstractPlus](#) | [Full Text: PDF\(592 KB\)](#) [IEEE JNL](#)


2. Modular recurrent neural networks for Mandarin syllable recognition

Sin-Horng Chen; Yuan-Fu Liao;
Neural Networks, IEEE Transactions on
Volume 9, Issue 6, Nov. 1998 Page(s):1430 - 1441
Digital Object Identifier 10.1109/72.728393

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(268 KB\)](#) [IEEE JNL](#)


3. Look-ahead based fuzzy decision tree induction

Ming Dong; Kothari, R.;
Fuzzy Systems, IEEE Transactions on
Volume 9, Issue 3, June 2001 Page(s):461 - 468
Digital Object Identifier 10.1109/91.928742

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(192 KB\)](#) [IEEE JNL](#)


4. A general framework for learning rules from data

Apolloni, B.; Esposito, A.; Malchiodi, D.; Orovas, C.; Palmas, G.; Taylor, J.G.;
Neural Networks, IEEE Transactions on
Volume 15, Issue 6, Nov. 2004 Page(s):1333 - 1349
Digital Object Identifier 10.1109/TNN.2004.836249

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1056 KB\)](#) [IEEE JNL](#)



5. Top-down induction of model trees with regression and splitting nodes

Malerba, D.; Esposito, F.; Ceci, M.; Appice, A.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 26, Issue 5, May 2004 Page(s):612 - 625
Digital Object Identifier 10.1109/TPAMI.2004.1273937

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1530 KB\)](#) [IEEE JNL](#)


6. Efficient and robust classification method using combined feature vector for lane detection

Pangyu Jeong; Nedevschi, S.;

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[New!](#)
[more »](#)

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 211,000 for **bayesian+linear+regression+score**. (0.22 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] A Bayesian Hierarchical Non-Linear Regression Model in Receiver ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

To validate the accuracy of PSA level and Gleason score, we developed a new **Bayesian** hierarchical, non-linear regression model. We incorporated the possible ...
 splweb.bwh.harvard.edu:8000/ pages/papers/zou/BayesianROC-BiomJ2005.pdf - [Similar pages](#)

BBR: Bayesian Logistic Regression

For logistic (or **linear**) regression with a **Bayesian** prior, ill-conditioning ...
 Each line has two fields: **score** and label predicted by the model (1 or -1): ...
 www.stat.rutgers.edu/~madigan/BBR/ - 40k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - bayesstruct.pptFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Score. All these values estimated from data. This is called a BIC (**Bayes** ...
DE, **Bayes** Net Structure Learning. **Linear Regression**, Quadratic Regression, ...
 www.cs.cmu.edu/~cga/ai-course/bayesstruct.pdf - [Similar pages](#)

[PDF] 1 A Comparison of Propensity Score and Linear Regression Analysis ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

We compare the use of multiple **linear regression** and propensity **score** analysis
 ... Observational Data Analyses, to appear in Applied **Bayesian** Modeling and ...
 www-stat.wharton.upenn.edu/~zanutto/ bio/papers/zanutto.IT.salaries.datascience.accepted.pdf - [Similar pages](#)

ISDS – Undergraduate and Graduate Programs

Introductions to maximum likelihood estimation and **Bayesian** inference. One- and
 two-sample mean problems, simple **linear regression**, multiple **linear** ...
 www.isds.duke.edu/programs/undergrad/listing.html - 14k - [Cached](#) - [Similar pages](#)

[PDF] Transforming Classifier Scores into Accurate Multiclass ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Naive **Bayesian** classifiers assign to each test example a **score** ... obtained using
linear regression [24]. We use naive **Bayes** to estimate P ...
 www.cse.ucsd.edu/users/zadrozny/kdd2002-Transf.pdf - [Similar pages](#)

Software (Adrian Raftery)

BMA:Bayesian model averaging (**BMA**) for **linear regression**, generalized **linear**
 models and survival analysis. ensemble**BMA**: Probabilistic forecasting using ...
 www.stat.washington.edu/raftery/software.html - 11k - [Cached](#) - [Similar pages](#)

[PS] Probabilistic Score Estimation with Piecewise Logistic Regression ...File Format: Adobe PostScript - [View as Text](#)

Classifiers We use three classifiers, namely Naive **Bayes**, **linear SVM** and logistic
regression to evaluate our **score** calibration methods. **Linear SVM** is one ...
 www.aicml.cs.ualberta.ca/_banff04/icml/pages/papers/50.ps - [Similar pages](#)


[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(DECISION TREE) AND SCOR* AND SPLIT*

12/13/99

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **DECISION TREE** AND **SCOR** AND **SPLIT**

Found 29,994 of 167,655

Sort results
by

relevance

Display
results

expanded form

[Save results to a Binder](#)
[Search Tips](#)
☐ Open results in a new
window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [BOAT—optimistic decision tree construction](#)

Johannes Gehrke, Venkatesh Ganti, Raghu Ramakrishnan, Wei-Yin Loh

June 1999 **ACM SIGMOD Record , Proceedings of the 1999 ACM SIGMOD international conference on Management of data SIGMOD '99**, Volume 28 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.70 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Classification is an important data mining problem. Given a training database of records, each tagged with a class label, the goal of classification is to build a concise model that can be used to predict the class label of future, unlabeled records. A very popular class of classifiers are decision trees. All current algorithms to construct decision trees, including all main-memory algorithms, make one scan over the training database per level of the tree. We introduce a new algo ...

2 [WWAC: WinWin abstraction based decision coordination](#)

Prasanta Bose, Xiaoqing Zhou

March 1999 **ACM SIGSOFT Software Engineering Notes , Proceedings of the international joint conference on Work activities coordination and collaboration WACC '99**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.27 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Distributed engineering of complex software artifacts require collaboration of multiple *independent* stakeholders over extended periods of time. The independent decision changes, task executions, resource usages and other activities of the stakeholders may interact causing problems where mutual dependencies exist due to global activity ordering, resource sharing, product integrity, and other global constraints. Stakeholder coordination is required to ensure satisfaction of the global const ...

Keywords: change management, collaborative design, decision coordination**3** [Social choice theory and distributed decision making](#)

Arnold B. Urken

April 1988 **ACM SIGOIS Bulletin , Conference Sponsored by ACM SIGOIS and IEEECS TC-OA on Office information systems**, Volume 9 Issue 2-3

Publisher: ACM Press